



 **KALMAR**



Radiator Kalmar Unica

*Beauty is formed by detail.
Harmony of shapes and colors.
Nature is a perfect creator.
It's worth learning from the master.*







Kalmar Ordo

Steel bathroom radiator



A classic creatively refined. Beauty encased in a thick frame. The marriage of simplicity and functionality.

Heating ladder, which combines simple design, elegance, high output and attractive price. With a thick frame, note the contrast between the optically light, horizontal elements with their surprisingly high heat dissipation surfaces. The most popular elegant colours immediately available in stock. Cost effective solution in a serviceable design.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
ORD2.071.047	712	470	83-103	397	CB 50 mm	✓
ORD2.071.057	712	570	83-103	470	CB 50 mm	✓
ORD2.105.047	1045	470	83-103	534	CB 50 mm	✓
ORD2.105.057	1045	570	83-103	637	CB 50 mm	✓
ORD2.131.047	1313	470	83-103	670	CB 50 mm	✓
ORD2.131.057	1313	570	83-103	780	CB 50 mm	✓
ORD2.167.047	1670	470	83-103	850	CB 50 mm	✓
ORD2.167.057	1670	570	83-103	990	CB 50 mm	✓

Finishes available in stock (matt colors): white, graphite, black sapphire, beige. Other colours on request.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CB – central bottom.

Maximum pressure: 10 bar.

Hole for the installation of the standard heating element on the right side, on the left side on request.






Kalmar Munda

Aluminium bathroom radiator



Beauty of simplicity. A modern, non-oppressive form, giving the sense of cleanness and lightness. For those who appreciate good design and want to bring out the beauty of details. Perfect for interiors where space and design form a unity.

An aluminium decorative radiator, only 3-centimetre-thick. Manufactured in refined matt. In standard, without extra charge, equipped with a central connection and additional heating supply line. Quickly available in the most popular colours and sizes.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
MUN-108-050	1080	500	30	330	CB 50 mm	✓
MUN-180-050	1800	500	30	525	CB 50 mm	✓


Finishes available in stock: white matt, graphite.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CB – central bottom.

Maximum pressure: 10 bar.

Hole for the installation of the heating element on the right and on the left side.






Kalmar Amica

Aluminum bathroom radiator



Soft lines and subtle elegance. Classic design with a large dose of functionality.
The ideal radiator for your bathroom.

Amica radiator has a smooth, gently curved plate with rounded corners and elegant spaces for towels.
Neutral design, high functionality and high heating output make Amica the optimal proposition for almost any bathroom. There is also the unique possibility of connecting an electric element and radiator connections internally to make them completely invisible to the observer.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	water-electric version	electric version
AMI.120.049	1200	490	88	540	CB/HB 50 mm	✓	✓

Finishes available in the standard price: white matt. Other colors on request.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CB – central bottom; HB – hidden back.

Maximum pressure: 6 bar.

In the water-electric version (dual), the electric element is built into the radiator. The power supply cable is hidden behind, in the middle behind the radiator.







Kalmar Vipera

Stainless steel radiator



Subtlety and delicacy for small interiors. Closed form, perfected in every detail.
Perfect to have your towel always smoothly to hand.

Delicacy in the form of a heating tube. Aesthetically consistent: radiator, brackets and valves
are fully refined. Unique brackets ensures smooth ease when hanging towels.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	water-electric version	electric version
VIP.053.040	530	400	80	181	DG	–	✓
VIP.078.050	780	500	80	316	DG	–	✓
VIP.103.050	1030	500	80	412	DG	–	✓
VIP.128.050	1280	500	80	507	DG	–	✓

Available finishes: gloss polished, brushed.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: DG – diagonal.

Maximum pressure: 10 bar.






Kalmar Simplex



Stainless steel radiator


Simple - a universal form that fits well with any environment.
Perfect for small bathrooms, toilets and kitchens. Durable – made of polished stainless steel, using square profiles of 30 mm.

The large distance between horizontal elements allows for comfortable hanging of towels.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element	electric version
SPX.083.023.IP:BB	830	230	80	160	BB 200 mm	✓	–
SPX.123.023.IP:BB	1230	230	80	220	BB 200 mm	✓	–

Available finishes: gloss polished
Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.
The meaning of markings of power supply: BB- bottom connections in vertical elements.
Maximum pressure: 15 bar.





Kalmar Post

Aluminum bathroom radiator




A feast of functionality and good taste. Measurable benefits of small dimensions.
Ideal for small bathrooms and kitchens.

Simple, practical and affordable bathroom radiator. Takes up little space on the wall, so it is recommended where you do not need larger forms. Chromed brass towel rail available without at no extra cost.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
POS.120.020	1200	200 (300)	126	280	CB 50 mm	–

Finishes available in the standard price: white matt. Other colors on request.
Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.
The meaning of markings of power supply: CB – central bottom.
Maximum pressure: 6 bar.






Kalmar Splendor

Steel radiator



Chic and elegance in every detail. Interior with dash. High gloss finish to appeal to the most demanding eye.

Flat front radiator finished with a mirror or glass pane. Elegant and practical. Optionally, you can install one or several Molli towel rails. Also ideal for use as a wipe clean whiteboard.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
SPL.080.048	800	480	96	409	CB 50 mm	✓
SPL.120.048	1200	480	96	610	CB 50 mm	✓
SPL.120.057	1200	570	96	736	CB 50 mm	✓
SPL.180.048	1800	480	96	880	CB 50 mm	✓
SPL.180.057	1800	570	96	1060	CB 50 mm	✓

Finishes available in stock: white, black, mirror.


Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CB – central bottom.

Maximum pressure: 6 bar. The electric element opening is in standard on the right, on the left, available on request.

In the radiators with the height of 800 mm it is possible to install up to three MOLLI rails, with the height of 1200 mm – 5 rails, and with the radiators with the height of 1800 mm – 6 rails.

Towel rail MOLLI	product code	height [mm]	length [mm]	depth [mm]
	MOL-050	70	530	65
	MOL-060	70	620	65
	Finishes available in stock: white gloss, black gloss, chromed.			






Kalmar Concordia

Aluminium radiator



A pragmatic choice. A simple form, high heating efficiency and attractive price. For those who appreciate economical and functional solutions.

In standard, each radiator has bottom connection with no additional charge.
Quickly available in the most popular colours and sizes.



product code	number of elements	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
CON.180.023	3	1800	236	100	906	LB/RB 50 mm	–
CON.180.030	4	1800	316	100	1208	LB/RB 50 mm	–
CON.180.038	5	1800	396	100	1510	LB/RB 50 mm	–
CON.180.046	6	1800	476	100	1812	LB/RB 50 mm	–
CON.180.056	7	1800	556	100	2114	LB/RB 50 mm	–
CON.180.064	8	1800	636	100	2416	LB/RB 50 mm	–
CON.180.080	10	1800	796	100	3020	LB/RB 50 mm	–

Finishes available in stock: white matt, graphite.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: RB – right bottom; LB- left bottom.

Maximum pressure: 10 bar.






Kalmar Pilaster

Stone radiator



Exceptional and captivating form, bringing to mind an elegant pilaster, rather than a radiator. It will perfectly blend into stylish interiors, complementing them. In modern ones it will add a hint of eclecticism and humour. Always surprising with class.

Classicistic column which can be used separately and in series. Multiplied in several places, it may constitute a stylish frame for windows, doors or other important interior elements. Thanks to the additional options to mount one or several stylish hangers, it is perfectly suited for kitchens, halls, toilets, bathrooms and spa rooms.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
PIL-180-030	1800	300	110	390	CW 50 mm	✓

Available in any RAL colour.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CW – central rear hidden.

Maximum pressure: 6 bar.

Possibility to install a maximum of 3 hangers on each side of the radiator.

Towel rail TETA	product code	height [mm]	depth [mm]
	TET-050	60	70





Kalmar Nobilis


Stone radiator



Nobilis stands for noble beauty and subtle elegance being a proof of the importance of harmony and style. The idea for the radiator comes from the classical covings. Nobilis will enhance every sublime interior while projects based on simple solutions will gain elegance.

Unique and innovative radiator form was based on classicistic solutions, referring to tradition. The feeling of solidity comes not only from the form and the material used, but also from the attention to detail.

Available horizontal and vertical version, as well as with a mirror.




product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
NOB.060.090	600	900	90	850	CW	–
NOB.060.120	600	1200	90	1100	CW	–
NOB.060.150	600	1500	90	1400	CW	–
NOB.090.060	900	600	90	850	CW	–
NOB.120.060	1200	600	90	1100	CW	–
NOB.150.060	1500	600	90	1400	CW	–

Available in any RAL colour.

Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.

The meaning of markings of power supply: CW – central rear hidden.

Maximum pressure: 6 bar.



Kalmar Unica

Steel radiator with photo



Artistic breeze inside. Emotions that you desire. Unique image hiding its practical function.

Heating panel finished with decorative graphics or photo. The choice of the basic version, with photographs provided by the customer, or the exclusive version with photos taken by an outstanding photographer. Also available in the "Magic of Photography" option allowing the purchase of collectors images from the same series. Thanks to it your interior will display its unique character.



product code	height [mm]	length [mm]	depth [mm]	output [W]	connection	electric element
SPL.080.048	800	480	96	409	CB 50 mm	✓
SPL.120.048	1200	480	96	610	CB 50 mm	✓
SPL.120.057	1200	570	96	736	CB 50 mm	✓
SPL.180.048	1800	480	96	880	CB 50 mm	✓

Finishing available in standard price: white semi-gloss + print from KALMAR catalogue or a print of Customer's photo.
 Manufacturer warranty – 3 years. Heating capacity provided for 76/65/20 parameters.
 The meaning of markings of power supply: CB – central bottom; RB – right bottom; CW – central rear hidden.
 Maximum pressure: 6 bar.
 Hole for the installation of the standard heating element on the right side, on the left side on request.



Kalmar Unica

Authors of artistic photographs available on Unica radiators

Photographs can be seen at www.kalmarradiators.uk




photo Agnieszka Kowalczyk

Leszek Szurkowski

Photographer, photo-illustrator, designer and author. Currently a professor at the Academy of Humanities and Economics in Lodz and a lecturer at the Nikon Academy.

His works were published, among others, in "Graphis Photo", "Communications Art Magazine", "Graphic Excellence USA", "Studio Magazine", "Masters of Photography", "APA Awards Book", "How", "Applied Arts" and "Photo District News".

Since 1964 he has participated in over 150 national and international exhibitions.

In the years 1965 - 2015 he completed 60 solo exhibitions.




photo Michał Korta

Krystian Bielatowicz


Photographer, filmmaker, archaeologist. He specializes in social photojournalism and street photography. He is also among the faculty of the Nikon Academy.

His photographs were published in, among others: "Newsweek Poland", "Polish National Geographic", "National Geographic Traveler", "The Virginia Quarterly Review" (USA), "Private Magazine" (Italy), "El Comercio" and "Caretas" (Peru).

He presented his works at exhibitions, among others: in New York, Peru and the Leica Gallery in Warsaw.



Radiator Kalmar Unica



www.kalmarradiators.com

Radiator Kalmar Unica

Kalmar Radiators Products
are Community industrial designs
patented in the EU